
Housatonic Valley Health District

COVID-19 RECOMMENDATIONS: COMMUNITY

August 1, 2022









Prevent the spread of COVID-19 by:

- Staying up to date with COVID-19 vaccinations (primary series & boosters)
- Stay informed. Follow the CDC Community Levels recommendations for your area
- Wearing a well-fitted mask when in crowded groups
- Spend time outside when socializing with people who you don't live with
- Having good ventilation when indoors
- Practicing proper hygiene
- Staying home if you are not feeling well and get tested if you are experiencing COVID-19 symptoms

Housatonic Valley Health District COVID-19 Recommendations



Stay informed. CDC Community Levels

What Prevention Steps Should You Take Based on Your COVID-19 Community Level?

Low	Medium	High			
 Stay <u>up to date</u> with COVID-19 vaccines <u>Get tested</u> if you have symptoms 	 If you are at high risk for severe illness, talk to your healthcare provider about whether you need to wear a mask and take other precautions Stay up to date with COVID-19 vaccines Get tested if you have symptoms 	 Wear a mask indoors in public Stay up to date with COVID-19 vaccines Get tested if you have symptoms Additional precautions may be needed for people at high risk for severe illness 			
People may choose to mask at any time. People with <u>symptoms</u> , <u>a positive test</u> , <u>or exposure</u> to someone with COVID-19 should wear a mask. Masks are recommended in indoor public transportation settings and may be required in other places by local or state authorities.					

Source: <u>CDC COVID-19 by County</u>, Retrieved July 18, 2022

Housatonic Valley Health District COVID-19 Recommendations

COVID-19 Vaccine Eligibility

	Pfizer	Moderna	Johnson & Johnson
Ages 18+	 Primary Series: 2 doses; 3-8 weeks apart Booster: 1 booster; 5 months after the final dose in the primary series Ages 50+ can choose to receive a 2nd booster 	Primary Series: • 2 doses; 4-8 weeks apart Booster: • 1 booster; 5 months after the final dose in the primary series • Ages 50+ can choose to receive a 2nd booster	 Primary Series: 1 dose Booster: 1 booster; 2 months after the final dose in the primary series Anyone who received J&J may receive a 2nd dose of Pfizer or Moderna at least 4 months after their 1st booster Ages 50+ can choose to receive a 2nd booster
Ages 12 - 17 years	Primary Series: • 2 doses; 3-8 weeks apart Booster: • 1 booster; 5 months after the final dose in the primary series	Primary Series: • 2 doses; 4-8 weeks apart Booster: • Not yet authorized	N/A
Ages 5 - 11 years	Primary Series: • 2 doses; 3 weeks apart Booster: • 1 booster; 5 months after the final dose in the primary series	Primary Series: • 2 doses; 4-8 weeks apart Booster: • Not yet authorized	N/A
Ages 6 months - 5 years	Primary Series: (ages 6 mo 4 yrs) • 3 doses • 3- 8 weeks apart between 1st & 2nd dose • At least 8 weeks between 2nd & 3rd dose Booster: • Not yet authorized	Primary Series: (ages 6 mo 5 yrs) o 2 doses; 4 - 8 weeks apart Booster: • Not yet authorized	N/A

Definitions:

- Primary series = 2 3 doses of Pfizer & Moderna; 1 dose of J&J
- Booster = additional dose
- Up to date = you have received all doses in the primary series and boosters when eligible.
- Fully vaccinated = 2 weeks after final dose in primary series

Schedule an appt:



https://hvhd.us/covid-19/vaccinations/

Quarantine Guidelines:

Quarantine = keeps someone who was in close contact with someone with COVID-19 away from others.

Up to Date = when you have received all COVID-19 doses in the primary series and all boosters recommended for you, when eligible.

Not Up to Date:

- Stay home and quarantine for at least 5 full days
- Wear a well-fitting mask when around others for 10 full days
- Get tested at least 5 days after the exposure to COVID-19.
- Watch for symptoms and if you develop symptoms, isolate immediately and get tested.
- Do not travel for 10 full days

Up to Date/ Confirmed COVID-19 within the last 90 days:

- No need to quarantine <u>unless</u> <u>you develop symptoms</u>
- Get tested at least 5 days after the exposure to COVID-19
- Watch for symptoms and if you develop symptoms, isolate immediately and get tested
- Wear a well-fitting mask for 10 full days when around others
- Take precautions when traveling


Isolation Guidelines:

Isolate = keeps someone who is sick or tested positive for COVID-19 without symptoms away from others, even in their own home.

Regardless of Vaccination Status:


- Self-isolate for **5 days** following a positive test or onset of symptoms. Wear a well fitting mask when around others in your home.
- Wear a mask around others for **5 additional days** post self-isolation.
- Do not travel for 10 full days

Well-Fitting Masks:



- It covers your nose, mouth, and fits under your chin.
- It is not loose and is fits securely to the head with ties, bands, or ear loops.

- It is breathable.
- Does not allow air to escape from edges



Leave COVID-19 behind.
Get Vaccinated.
Get Tested.
Stay Informed.

Visit www.hvhd.us to schedule a vaccination and testing appointment.













Face masks might give wearers false security.

People may expose themselves in risky environments.

It may increase the frequency of touching their face, and disregarding the other more effective ways of preventing the spread of the virus, such as:

- Proper hand hygiene
- Respiratory etiquette
- Physical distancing





